



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 10/591,709 | 09/06/2006 | Jun Cheng | L9289.06188 | 3134 |

52989 7590 01/28/2010

Dickinson Wright PLLC
James E. Ledbetter, Esq.
International Square
1875 Eye Street, N.W., Suite 1200
Washington, DC 20006

| |
|----------|
| EXAMINER |
|----------|

GUARINO, RAHEL

| | |
|----------|--------------|
| ART UNIT | PAPER NUMBER |
|----------|--------------|

2611

| | |
|-----------|---------------|
| MAIL DATE | DELIVERY MODE |
|-----------|---------------|

01/28/2010

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | | | |
|------------------------------|--------------------------------------|-------------------------------------|--|
| Office Action Summary | Application No. 10/591,709 | Applicant(s) CHENG ET AL. | |
| | Examiner RAHEL GUARINO | Art Unit 2611 | |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 9/18/2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-11 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 6-9 is/are allowed.
- 6) ☒ Claim(s) 1,10,11 is/are rejected.
- 7) ☒ Claim(s) 2-5 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This office action is in response to communication filed on 9/18/2009.
Claims 1,10 have been amended. Claims 1-10 are pending in this application.

Response to Arguments

2. Applicant's arguments, with respect to the rejections of claims under 103 have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of by et al. US 2002/0119781

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claims 1, 10,11 are rejected under 35 U.S.C. 102(b) as being anticipated by Li et al. US 2002/0119781

Re claim 1, Li discloses a reception quality notifying *method (fig.13;a scheduler (1301))* comprising:

a reception step of receiving a multicarrier signal (*receiving OFDM multicarrier signal;para#7*); a measurement step of measuring reception quality of the multicarrier signal on a subcarrier basis (*each subcarrier measures SINR of each subcarrier and reports back to base station; para#41*);a generation step of comparing the measurement result on the subcarrier of the measurement step with a predetermined threshold value (*signal comparison made during traffic period; para#70 and 7*) and performing format conversion on the comparison result using of different references to generate a plurality of reception quality data that have different references expressed by bits (*converting to 3-bit field used for SINR indexing and furthermore, fig. 5 shows different cluster ID with its associated SINR; the para#78*); a selection step of selecting reception quality data with a smallest data amount from the plurality of generated reception quality data (*selection process based on SINR and power difference, smaller than 1dB; para#77*) and a transmission step of transmitting the selected reception quality data (*transmission of information stored in the buffer (para#83)*).

Re claim 10, Li discloses a reception quality notifying *method (fig.13;a scheduler (1301))* comprising:

a receiver (*1305;transceiver*) that receiving a multicarrier signal (*receiving OFDM multicarrier signal;para#7*); a measurer that measures reception quality of the

Art Unit: 2611

multicarrier signal on a subcarrier basis (*each subcarrier measures SINR of each subcarrier and reports back to base station; para#41*); a generator (power calculation processing block (403)) that compares the measurement result on the subcarrier of the measurement step with a predetermined threshold value (*signal comparison made during traffic period; para#70 and 7*) and performing format conversion on the comparison result using of different references to generate a plurality of reception quality data that have different references expressed by bits (*converting to 3-bit field used for SINR indexing and furthermore, fig. 5 shows different cluster ID with its associated SINR; the para#78*); a selector (*cluster ordering and selection; 405*) that selects reception quality data with a smallest data amount from the plurality of generated reception quality data (*selection process based on SINR and power difference, smaller than 1dB; para#77*); a transmitter (1305; transceiver) that transmits the selected reception quality data (*transmission of information stored in the buffer (para#83)*).

Re claim 11, the base station claim 10 comprising (fig.13):

a transmitter (1305; transceiver) that transmits downlink multicarrier signals to the plurality of radio communication terminal apparatuses (*para#78*); a receiver (1305; transceiver) that receives uplink multicarrier signals including reception quality data indicating reception quality of the downlink multicarrier signals transmitted from the plurality of radio communication terminal apparatuses (*para#40*); a determiner (*scheduler and allocator' 1301*) that determines formats of the reception quality data included in the uplink multicarrier signals for each of the plurality of radio communication

Art Unit: 2611

terminal apparatuses (*para#81*); and an assignment determiner (*scheduler and allocator; 1301*) that determines respective subcarriers to be assigned to the plurality of radio communication terminal apparatuses in accordance with the determined formats (*para#81*).

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claim **1** is rejected under 35 U.S.C. 103(a) as being unpatentable over Puig-Oses et al. US 2007/0287487

Re claim 1, Puig-Oses discloses a reception quality notifying method (*314; scheduler*) comprising:
a reception (*312*) step of receiving a signal (*para#43, reception section received the transmitted information signal*); a measurement step of measuring reception quality of the multicarrier signal on a subcarrier basis (*para#38, the quality are measured of the forward link and transmitted in the open loop, channel varying condition on the subchannel basis fig.2. The quality are measured in term of C/I ratio*); a generation step of comparing the measurement result on the subcarrier of the measurement step with a predetermined threshold value (*para#45; the measured channel quality is compared*

Art Unit: 2611

with a predetermined threshold amount) and performing format conversion on the comparison result using of different references to generate a plurality of reception quality data that have different references formats and that expressed by bits (para#43, the scheduler determines the appropriate transmission formats according to the decoded C/I value, where the C/I value are expressed in bits according to fig.4 channel elements); a selection step of selecting reception quality data with a smallest data amount from the plurality of generated reception quality data and a transmission step (316) of transmitting the selected reception quality data (the channel condition triggers the transmission over the transmission subsystem (316) of the base station at a reduce rate. for example, if the remote station is traveling at high velocity (unfavorable channel condition), the transmission on the CQI channel will be selected at a reduce rate;para#47).

Puig-Oses does not explicitly disclose a multicarrier signal.

Instead, Puig-Oses discloses a WCDMA signal (para#9). Furthermore, it is well known in the art that WCDMA signal is a multicarrier signal (see Copeland (US 2004/0052314) in para#15 and Reynolds et al. (US 2004/0045030)) in para#132 and background of Puig-Oses in para#5)

Therefore, it would have been rendered obvious to one skilled in the art to utilize A WCDMA signal for the benefit of providing highly efficient and robust cellular telephone service (para#5, Puig-Oses).

Allowable Subject Matter

7. **Claims 6-9** are allowed.
8. Claims 2-5 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rahel Guarino whose telephone number is (571)270-1198. The examiner can normally be reached on M-F (7:30-4:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Payne David can be reached on 571-272-3024. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Rahel Guarino/
Examiner, Art Unit 2611

/David C. Payne/
Supervisory Patent Examiner, Art Unit 2611